

## US005192815A

## United States Patent [19]

Okada et al.

[11] Patent Number:

5,192,815

[45] Date of Patent:

Mar. 9, 1993

[54]	DENTAL RESTORATIVE MATERIAL					
[75]	Inventors:	Koichi Okada; Ikuo Omura, both of Kurashiki, Japan				
[73]	Assignee:	Kuraray Co., Ltd., Kurashiki, Japan				
[21]	$\mathbf{Appl.}\ \mathbf{No.:}$	430,331				
[22]	Filed:	Nov. 2, 1989				
[30]	Foreign Application Priority Data					
Nov. 11, 1988 [JP] Japan 63-286404						
[51]	Int. Cl. <sup>5</sup>	<b>A61F 2/00;</b> C08J 5/10; C08K 3/36; C08L 33/12				
[52]	U.S. Cl	<b>523/115;</b> 523/116;				
£601	T. 11 . 60	523/212; 523/213				
[58]	Field of Sea	arch 523/116, 115, 212, 213				
[56]	References Cited					
U.S. PATENT DOCUMENTS						

rimary Examiner—Paul R. Michl							
	4,872,936	10/1989	Engelbrecht	523/116			
	4,859,716	8/1989	Ibsen et al	523/116			
	4,344,337	10/1393	waknine	323/113			

4,302,381 11/1981 Omura et al. ...... 523/116

Primary Examiner—Paul R. Michl Assistant Examiner—U. K. Rajguru Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

## [57] ABSTRACT

Provided is a dental restorative material having high mechanical strength, abrasion resistance, hardness and excellent aesthetic appearance because it contains a large amount of an ultrafine filler having a particle size of 0.1  $\mu$ m or less, and can hence be used for restoring molars as well as foreteeth. The dental restorative material comprises an inorganic filler with a size of 0.1  $\mu$ m or less which is insoluble in water and surface-treated with a silane coupling agent represented by the following general formula:

$$\begin{array}{c|cccc}
R^1 & (R^3)_{3-m} \\
 & | & | & | \\
 H_2C = C - C - X + CH_2 + R^2 & | & | \\
 & | & | & | & | \\
 & | & | & | & | \\
 & | & | & | & | \\
 & | & | & | & | \\
 & | & | & | & | \\
 & | & | & | & | & | \\
 & | & | & | & | & | \\
 & | & | & | & | & | & | \\
 & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | & | & | & | \\
 & | & | & | & | & | &$$

and a (meth)acrylate monomer composition containing at least 50% by weight based on the weight of the composition of at least one hydrophobic multifunctional (meth)acrylate represented by the following general formula:

$$\begin{pmatrix} R^5 \\ H_2C = C - C - O \\ \parallel \\ O \end{pmatrix}_p R^4,$$

said surface-treated inorganic filler being incorporated in an amount of at least 100 parts by weight based on 100 parts by weight of said monomer composition.

10 Claims, No Drawings